













The rear view of the device shows a large ventilation grille with horizontal slats. Below the grille, there is a white label with four warning icons and text in Japanese. The icons are: a triangle with an exclamation mark (Warning), a triangle with a flame (Flammable), a triangle with a lightning bolt (High Voltage), and a circle with a slash (Prohibited). The text in Japanese reads: "警告" (Warning), "火気厳禁" (No open flames), "高圧注意" (High voltage caution), and "充電中および充電後、充電ケーブルを触らないでください。" (Do not touch the charging cable while charging or after charging). Below the label, there is a small black rectangular area, possibly a sensor or a port.




※吹出し側壁面高さ1.2m以下


前後のみに壁がある場合

注記


1. 本体の前、後、左、右、上方向に上図の $\longleftrightarrow$ 印の間隔をあけ、3方向以上開放できる所に据え付けてください。
ただし、2方向しか開放できない場合と前後面に壁がある場合は右図に従い据え付けてください。



SIGNATURE		DATE	PROJECTION	SCALE	TITLE	
DWN.	K. Fukuhara	2018-10-05		N T S	RAS-XJ63J2:RAC-XJ63J2 構造寸法図 TOCHIGI DWG. No.	
CHKD.	K. Yahagi	2018-10-05				
APPD.	H. Daisaka	2018-10-05				
Hitachi-Johnson Controls Air Conditioning, Inc.						3YAA NN0011503 REGD. 2018 1005



配線図 R A C - X J 6 3 J 2



SIGNATURE		DATE	PROJECTION	SCALE	TITLE	
DWN.	K. Fukuhara	2018-10-09		NTS	RAS-XJ63J2:RAC-XJ63J2 回路図:配線図	
CHKD.	F. Nishioka	2018-10-09	Hitachi-Johnson Controls Air Conditioning, Inc.	TOCHIGI DWG. No.		
APPD.	K. Yoshida	2018-10-09		3YDA NN0011536		
						REGD. REGD 2018 1009