










The rear view of the device shows a large ventilation grille with horizontal slats. Below the grille, there is a white label with four warning icons and text in Japanese. The icons are: a triangle with an exclamation mark (Warning), a triangle with a flame (Fire hazard), a triangle with an exclamation mark (Caution), and a circle with a slash (Prohibition). The text next to each icon is in Japanese.



3方向壁に囲まれている場合



前後のみに壁がある場合



注記


1. 本体の前、後、左、右、上方向に上図の $\longleftrightarrow$ 印の間隔をあけ、3方向以上開放できる所に据え付けてください。
ただし、2方向しか開放できない場合と前後面に壁がある場合は右図に従い据え付けてください。

SIGNATURE		DATE	PROJECTION	SCALE	TITLE				
DWN.	K. Fukuhara	2018-10-11		N T S	RAS-X56J2:RAC-X56J2 構造:寸法図				
CHKD.	K. Yahagi	2018-10-11			Hitachi-Johnson Controls Air Conditioning, Inc.	TOCHIGI DWG. No.		REGD. REGD 2018 1012	
APPD.	H. Daisaka	2018-10-12				3YAA NN0011480			

△リアクタ 3.5mH



配線図
RAS-X56J2



- | | | | | | | | |
|-----------|-------------|------------|---|--|----------------------------|---|--|
| SIGNATURE | | DATE | PROJECTION | SCALE | TITLE |  | |
| DWN. | K. Fukuhara | 2018-10-16 |  | NTS | RAS-X56J2:RAC-X56J2 回線:5線図 | | |
| CHKD. | K. Yahagi | 2018-10-16 | | Hitachi-Johnson Controls
Air Conditioning, Inc. | TOCHIGI DWG. No. | | |
| APPD. | H. Daisaka | 2018-10-16 | | | 3YDA NN0011513 | | |
| | | | | | | REGD.
REGD
2018
1016 | |